## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

) "EXPRESS MAIL" Mailing Label ) No. EL 564 461 128US.
) I hereby certify that this paper (or fee) is being deposited with the United States Postal Service "EXPRESS MAIL POST OFFICE
TO ADDRESSEE" service under 37 C.F.R.  §1.10 on the date indicated below and is addressed to the Commissioner for Patents, Washington, D.C. 20231, on this date,
) January 15, 2002
Richard Zimmermann

## STATEMENT PURSUANT TO 37 C.F.R. §§1.821

Commissioner for Patents Washington, DC 20231

Sirs:

I hereby state that the contents of the paper and computer readable copies of the Sequence Listing, submitted herewith and in accordance with 37 C.F.R. §§1.821 are the same and include no new matter.

Respectfully submitted,

Weey.

MARSHALL, GERSTEIN & BORUN

Nabeela R. McMillian Registration No. 43,363 6300 Sears Tower 233 S. Wacker Drive Chicago, IL 60606-6402 (312) 474-6300

January 15, 2002

<222> (5)..(7)

## SEQUENCE LISTING

```
<110> Alitalo, Kari
      Koivunen, Erkki
      Kubo, Hajime
<120> VEGFR-3 INHIBITOR MATERIALS AND METHODS
<130> 28967/37084A
<160> 80
<170> PatentIn version 3.0
<210> 1
<211> 13
<212> PRT
<213> conserved PDGF motif
<220>
<221> SITE
<222> (2)..(2)
<223> X= proline or serine
<220>
<221> SITE
<222> (10)..(10)
<223> X= glycine or serine or threonine or alanine
<220>
<221> SITE
```

```
The first on the first f
4 Pm 4 Pm
```

```
<223> X= any amino acid
<400> 1
Pro Xaa Cys Val Xaa Xaa Xaa Arg Cys Xaa Gly Cys Cys
<210> 2
<211> 76
<212> PRT
<213> VEGF homology domain
<220>
<221> SITE
<222> (2)..(23)
<223> X is any amino acid
<220>
<221> SITE
<222> (25)..(25)
<223> X is proline, serine, or arginine
<220>
<221> SITE
<222> (28)..(30)
<223> X is any amino acid
<220>
<221> SITE
<222> (33)..(33)
<223> X is glycine, serine, threonine, or alanine
<220>
<221> SITE
```

```
<222> (37)..(42)
```

<223> X is any amino acid

<220>

<221> SITE

<222> (44)..(75)

<223> X is any amino acid

<400> 2

Xaa Xaa Xaa Xaa Xaa Xaa Pro Xaa Cys Val Xaa Xaa Arg Cys 20 25 30

Xaa Gly Cys Cys Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa 35 40 45

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Cys 65 70 75

<210> 3

<211> 77

<212> PRT

<213> VEGF homology domain (VHD)

<220>

<221> SITE

<222> (2)..(23)

<223> X is any amino acid

<220>

<221> SITE

<222> (25)..(25)

<223> X is proline, serine, or arginine

<212> PRT

```
<220>
<221> SITE
<222> (28)..(30)
<223> X is any amino acid
<220>
<221> SITE
<222> (33)..(33)
<223> X is glycine, serine, threonine, or alanine
<220>
<221> SITE
<222> (37)..(42)
<223> X is any amino acid
<220>
<221> SITE
<222> (44)..(76)
<223> X is any amino acid
<400> 3
Xaa Xaa Xaa Xaa Xaa Xaa Pro Xaa Cys Val Xaa Xaa Arg Cys
Xaa Gly Cys Cys Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa
<210> 4
<211> 78
```

```
<213> VEGF homology domain (VHD)
<220>
<221> SITE
<222> (2)..(23)
<223> X is any amino acid
<220>
<221> SITE
<222> (25)..(25)
<223> X is proline, serine or arginine
<220>
<221> SITE
<222> (28)..(30)
<223> X is any amino acid
<220>
<221> SITE
<222> (33)..(33)
<223> X is glycine, serine, threonine, or alanine
<220>
<221> SITE
<222> (37)..(42)
<223> X is any amino acid
<220>
<221> SITE
<222> (44)..(77)
<223> X is any amino acid
```

```
<400> 4
```

Xaa Xaa Xaa Xaa Xaa Xaa Pro Xaa Cys Val Xaa Xaa Arg Cys 20 25 30

Xaa Gly Cys Cys Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa 35 40 45

<210> 5

<211> 79

<212> PRT

<213> VEGF homology domain (VHD)

<220>

<221> SITE

<222> (2)..(23)

<223> X is any amino acid

<220>

<221> SITE

<222> (25)..(25)

<223> X is proline, serine or arginine

<220>

<221> SITE

<222> (28)..(30)

<223> X is any amino acid

<220>

<221> SITE

<222> (33)..(33)

<222> (2)..(23)

<223> X is any amino acid

```
<223> X is glycine, serine, threonine or alanine
<220>
<221> SITE
<222> (37)..(42)
<223> X is any amino acid
<220>
<221> SITE
<222> (44)..(78)
<223> X is any amino acid
<400> 5
Xaa Xaa Xaa Xaa Xaa Xaa Pro Xaa Cys Val Xaa Xaa Xaa Arg Cys
Xaa Gly Cys Cys Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa
<210> 6
<211> 80
<212> PRT
<213> VEGF homology domain (VHD)
<220>
<221>
    SITE
```

```
<220>
<221> SITE
<222> (25)..(25)
<223> X is proline, serine, or arginine
<220>
<221> SITE
<222> (28)..(30)
<223> X is any amino acid
<220>
<221> SITE
<222> (33)..(33)
<223> X is glycine, serine, threonine or alanine
<220>
<221> SITE
<222> (37)..(42)
<223> X is any amino acid
<220>
<221> SITE
<222> (44)..(79)
<223> X is any amino acid
<400> 6
Xaa Xaa Xaa Xaa Xaa Xaa Pro Xaa Cys Val Xaa Xaa Arg Cys
```

```
<210> 7
<211> 81
<212> PRT
<213> VEGF homology domain (VHD)
<220>
<221> SITE
<222> (2)..(23)
<223> X is any amino acid
<220>
<221> SITE
<222> (25)..(25)
<223> X is proline, serine or arginine
<220>
<221> SITE
<222> (28)..(30)
<223> X is any amino acid
<220>
<221> SITE
<222> (33)..(33)
<223> X is glycine, serine, threonine or alanine
<220>
<221> SITE
<222> (37)..(42)
<223> X is any amino acid
```

```
<220>
<221> SITE
<222> (44)..(80)
<223> X is any amino acid
<400> 7
Xaa Xaa Xaa Xaa Xaa Xaa Pro Xaa Cys Val Xaa Xaa Arg Cys
Xaa Gly Cys Cys Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa
70
Cys
<210> 8
<211> 82
<212> PRT
<213> VEGF homology domain (VHD)
<220>
<221> SITE
<222> (2)..(23)
<223> X is any amino acid
<220>
<221> SITE
<222> (25)..(25)
<223> X is proline, serine or arginine
<220>
```

<221> SITE

- <222> (28)..(30)
- <223> X is any amino acid
- <220>
- <221> SITE
- <222> (33)..(33)
- <223> X is glycine, serine, threonine or alanine
- <220>
- <221> SITE
- <222> (37)..(42)
- <223> X is any amino acid
- <220>
- <221> SITE
- <222> (44)..(81)
- <223> X is any amino acid
- <400> 8
- Xaa Xaa Xaa Xaa Xaa Xaa Pro Xaa Cys Val Xaa Xaa Arg Cys 20 25 30
- Xaa Gly Cys Cys Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa Xaa Xaa 35

- Xaa Cys
- <210> 9
- <211> 83
- <212> PRT
- <213> VEGF homology domain

<400> 9

```
<220>
<221> SITE
<222> (2)..(23)
<223> X is any amino acid
<220>
<221> SITE
<222> (25)..(25)
<223> X is proline, serine or arginine
<220>
<221> SITE
<222> (28)..(30)
<223> X is any amino acid
<220>
<221> SITE
<222> (33)..(33)
<223> X is glycine, serine, threonine or alanine
<220>
<221> SITE
<222> (37)..(42)
<223> X is any amino acid
<220>
<221> SITE
<222> (44)..(82)
<223> X is any amino acid
```

Xaa Xaa Xaa Xaa Xaa Xaa Pro Xaa Cys Val Xaa Xaa Arg Cys 20 25 30

Xaa Xaa Cys

- <210> 10
- <211> 84
- <212> PRT
- <213> VEGF homology domain
- <220>
- <221> SITE
- <222> (2)..(23)
- <223> X is any amino acid
- <220>
- <221> SITE
- <222> (25)..(25)
- <223> X is proline, serine or arginine
- <220>
- <221> SITE
- <222> (28)..(30)
- <223> X is any amino acid
- <220>
- <221> SITE
- <222> (33)..(33)

Xaa Xaa Xaa Cys

<210> 11

<211> 85

<212> PRT

<213> VEGF homology domain

<220>

<221> SITE

<222> (2)..(23)

<223> X is any amino acid

```
and the state of t
```

```
<220>
 <221> SITE
 <222> (25)..(25)
 <223> X is proline, serine or arginine
 <220>
 <221>
      SITE
 <222> (28)..(30)
 <223> X is any amino acid
 <220>
<221> SITE
<222> (33)..(33)
<223> X is glycine, serine, threonine or alanine
<220>
: <221> SITE
<222> (37)..(42)
<223> X is any amino acid
<220>
<221> SITE
<222> (44)..(84)
<223> X is any amino acid
<400> 11
Xaa Xaa Xaa Xaa Xaa Xaa Pro Xaa Cys Val Xaa Xaa Xaa Arg Cys
Xaa Gly Cys Cys Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa
```

```
Xaa Xaa Xaa Cys
                                          <210>
                                                                             12
                                          <211> 77
                                          <212> PRT
                                          <213> VEGF homology domain
                                         <220>
                                         <221> SITE
                                         <222> (2)..(24)
The state of the s
                                         <223> X is any amino acid
                                         <220>
                                         <221> SITE
                                         <222> (26)..(26)
                                         <223> X is proline, serine or arginine
<220>
                                        <221> SITE
                                         <222> (29)..(31)
                                        <223> X is any amino acid
                                       <220>
                                       <221> SITE
                                       <222> (34)..(34)
                                       <223> X is glycine, serine, threonine or alanine
                                       <220>
                                       <221> SITE
                                       <222> (38)..(43)
                                       <223> X is any amino acid
```

75

<220>

<221> SITE

```
<220>
<221>
    SITE
<222> (45)..(76)
<223> X is any amino acid
<400> 12
Xaa Xaa Xaa Xaa Xaa Xaa Xaa Pro Xaa Cys Val Xaa Xaa Xaa Arg
Cys Xaa Gly Cys Cys Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
<210> 13
<211>
    78
<212>
   PRT
<213> VEGF homology domain (VHD)
<220>
<221>
    SITE
<222>
   (2)..(24)
<223> X is any amino acid
<220>
<221> SITE
<222>
    (26)..(26)
<223> X is proline, serine or arginine
```

```
<222> (29)..(31)
<223> X is any amino acid
<220>
<221> SITE
<222> (34)..(34)
<223> X is glycine, serine, threonine or alanine
<220>
<221> SITE
<222> (38)..(43)
<223> X is any amino acid
<220>
<221> SITE
<222> (45)..(77)
<223> X is any amino acid
<400> 13
Cys Xaa Gly Cys Cys Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa
```

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Pro Xaa Cys Val Xaa Xaa Xaa Arg

<210> 14

<211> 79

<212> PRT

<213> VEGF homology domain

```
and getting that it is now to the second to
```

```
<220>
<221> SITE
<222> (2)..(24)
<223> X is any amino acid
<220>
<221> SITE
<222> (26)..(26)
<223> X is proline, serine or arginine
<220>
<221> SITE
<222> (29)..(31)
<223> X is any amino acid
<220>
<221> SITE
<222> (34)..(34)
<223> X is glycine, serine, threonine or alanine
<220>
<221> SITE
<222> (38)..(43)
<223> X is any amino acid
<220>
 <221> SITE
 <222> (45)..(78)
 <223> X is any amino acid
 <400> 14
```

- Xaa Xaa Xaa Xaa Xaa Xaa Xaa Pro Xaa Cys Val Xaa Xaa Arg 20 25 30
- Cys Xaa Gly Cys Cys Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa 35 40 45

- <210> 15
- <211> 80
- <212> PRT
- <213> VEGF homology domain
- <220>
- <221> SITE
- <222> (2)..(24)
- <223> X is any amino acid
- <220>
- <221> SITE
- <222> (26)..(26)
- <223> X is proline, serine or arginine
- <220>
- <221> SITE
- <222> (29)..(31)
- <223> X is any amino acid
- <220>
- <221> SITE
- <222> (34)..(34)
- <223> % is glycine, serine, threonine or alanine

```
<220>
```

- <221> SITE
- <222> (38)..(43)
- <223> X is any amino acid
- <220>
- <221> SITE
- <222> (45)..(79)
- <223> X is any amino acid
- <400> 15
- Xaa Xaa Xaa Xaa Xaa Xaa Xaa Arg 20 25 30
- Cys Xaa Gly Cys Cys Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa 35 40 45

- <210> 16
- <211> 81
- <212> PRT
- <213> VEGF homology domain
- <220>
- <221> SITE
- <222> (2)..(24)
- <223> X is any amino acid
- <220>
- <221> SITE
- <222> (26)..(26)

```
<223> X is proline, serine or arginine
 <220>
 <221>
     SITE
 <222>
     (29)..(31)
 <223> X is any amino acid
 <220>
 <221> SITE
 <222> (34)..(34)
 <223> X is glycine, serine, threonine or alanine
· <220>
 <221> SITE
 <222> (38)..(43)
 <223> X is any amino acid
 <220>
 <221>
     SITE
 <222> (45) . (80)
 <223> X is any amino acid
 <400> 16
 5
Xaa Xaa Xaa Xaa Xaa Xaa Xaa Pro Xaa Cys Val Xaa Xaa Xaa Arg
Cys Xaa Gly Cys Cys Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
Cys
```

```
<210> 17
<211> 82
<212> PRT
<213> VEGF homology domain
<220>
<221> SITE
<222> (2)..(24)
<223> X is any amino acid
<220>
<221> SITE
<222> (26)..(26)
<223> X is proline, serine or arginine
<220>
<221> SITE
<222> (29)..(31)
<223> X is any amino acid
<220>
<221> SITE
<222> (34)..(34)
<223> X is glycine, serine, threonine or alanine
<220>
<221> SITE
<222> (38)..(43)
<223> X is any amino acid
<220>
<221> SITE
```

<222> (45)..(81)

<223> X is any amino acid

<400> 17

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Pro Xaa Cys Val Xaa Xaa Arg

Cys Xaa Gly Cys Cys Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa 35 40 45

Xaa Cys

<210> 18

<211> 83

<212> PRT

<213> VEGF homology domain

<220>

<221> SITE

<222> (2)..(24)

<223> X is any amino acid

<220>

<221> SITE

<222> (26)..(26)

<223> X is proline, serine or arginine

<220>

<221> SITE

<222> (29)..(31)

<223> X is any amino acid

```
<220>
<221> SITE
<222> (34)..(34)
<223> X is glycine, serine, threonine or alanine
<220>
<221> SITE
<222> (38)..(43)
<223> X is any amino acid
<220>
<221> SITE
<222> (45)..(82)
<223> X is any amino acid
<400> 18
Xaa Xaa Xaa Xaa Xaa Xaa Xaa Pro Xaa Cys Val Xaa Xaa Xaa Arg
       20
Cys Xaa Gly Cys Cys Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa
Xaa Xaa Cys
<210>
   19
<211>
    84
<212> PRT
```

<220>

<213> VEGF homology domain

```
<221> SITE
<222> (2)..(24)
<223> X is any amino acid
<220>
<221> SITE
<222> (26)..(26)
<223> X is proline, serine or arginine
<220>
<221> SITE
<222> (29)..(31)
<223> X is any amino acid
<220>
<221> SITE
<222> (34)..(34)
<223> X is glycine, serine, threonine or alanine
<220>
<221> SITE
<222> (38)..(43)
<223> X is any amino acid
<220>
<221> SITE
<222> (45)..(83)
<223> X is any amino acid
<400> 19
```

10

```
Xaa Xaa Xaa Xaa Xaa Xaa Xaa Pro Xaa Cys Val Xaa Xaa Xaa Arg
```

Cys Xaa Gly Cys Cys Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa 35 40 45

Xaa Xaa Xaa Cys

- <210> 20
- <211> 85
- <212> PRT
- <213> VEGF homology domain
- <220>
- <221.> SITE
- <222> (2)..(24)
- <223> X is any amino acid
- <220>
- <221> SITE
- <222> (26)..(26)
- <223> X is proline, serine or arginine
- <220>
- <221> SITE
- <222> (29)..(31)
- <223> X is any amino acid
- <220>
- <221> SITE
- <222> (34)..(34)
- <223> X is glycine, serine, threonine or alanine

```
<220>
```

<221> SITE

<222> (38)..(43)

<223> X is any amino acid

<220>

<221> SITE

<222> (45)..(84)

<223> X is any amino acid

<400> 20

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Arg 20 25. 30

Cys Xaa Gly Cys Cys Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa 35 40 45

Xaa Xaa Xaa Cys

<210> 21

<211> 86

<212> PRT

<213> VEGF homology domain

<220>

<221> SITE

<222> (2)..(24)

<223> X is any amino acid

```
<220>
<221> SITE
<222> (26)..(26)
<223> X is proline, serine or arginine
<220>
<221>
    SITE
     (29)..(31)
<222>
<223> X is any amino acid
<220>
<221>
    SITE
<222> (34)..(34)
<223> X is glycine, serine, threonine or alanine
<220>
<221> SITE
<222>
    (38)..(43)
<223> X is any amino acid
<229>
<221> SITE
<222>
    (45)..(85)
<223> X is any amino acid
<400> 21
Xaa Xaa Xaa Xaa Xaa Xaa Xaa Pro Xaa Cys Val Xaa Xaa Arg
                        25
Cys Xaa Gly Cys Cys Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa
```

```
70
                                              75
      Xaa Xaa Xaa Xaa Cys
      <210> 22
       <211>
             78
      <212> PRT
      <213> VEGF homology domain
      <220>
      <221> SITE
      <222> (2)..(25)
      <223> X is any amino acid
      <220>
      <221> SITE
      <222> (27)...(27)
      <223> X is proline, serine or arginine
<220>
      <221> SITE
      <222> (30)..(32)
      <223> X is any amino acid
      <220>
      <221> SITE
      <222> (35)..(35)
      <223> X is glycine, serine, threonine or alanine
      <220>
      <221> SITE
      <222> (39)..(44)
      <223> X is any amino acid
```

```
<220>
```

<221> SITE

<222> (46)..(77)

<223> X is any amino acid

<400> 22

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Pro Xaa Cys Val Xaa Xaa Xaa 20 25 30

Arg Cys Xaa Gly Cys Cys Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa 35

<210> 23

<211> 79

<212> PRT

<213> VEGF homology domain

<220>

<221> SITE

<222> (2)..(25)

<223> X is any amino acid

<220>

<221> SITE

<222> (27)..(27)

<223> X is proline, serine or arginine

<220>

<221> SITE

```
<222> (30)..(32)
```

<223> X is any amino acid

<220>

<221> SITE

<222> (35)..(35)

<223> X is glycine, serine, threonine or alanine

<220>

<221> SITE

<222> (39)..(44)

<223> X is any amino acid

<220>

<221> SITE

<222> (46)..(78)

<223> X is any amino acid

<400> 23

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Prc Xaa Cys Val Xaa Xaa Xaa 20 25 30

Arg Cys Xaa Gly Cys Cys Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa 35 40 45

<210> 24

<211> 80

<212> PRT

<213> VEGF homology domain

```
all green from the green green green are green at the green green
```

```
<220>
<221> SITE
<222> (2)..(25)
<223> X is any amino acid
<220>
<221> SITE
<222> (27)..(27)
<223> X is proline, serine or arginine
<220>
<221> SITE
<222> (30)..(32)
<223> X is any amino acid
<220>
<221> SITE
<222> (35)..(35)
<223> X is glycine, serine, threonine or alanine
<220>
<221> SITE
<222> (39)..(44)
<223> X is any amino acid
<220>
<221> SITE
<222> (46)..(79)
<223> X is any amino acid
```

<400> 24

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Pro Xaa Cys Val Xaa Xaa Xaa 20 25 30

Arg Cys Xaa Gly Cys Cys Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa 35 40 45

<210> 25

<211> 81

<212> PRT

<213> VEGF homology domain

<220>

<221> SITE

<222> (2)..(25)

<223> X is any amino acid

<220>

<221> SITE

<222> (27)..(27)

<223> X is proline, serine or arginine

<220>

<221> SITE

<222> (30)..(32)

<223> X is any amino acid

<220>

<221> SITE

<222> (35)..(35)

<223> X is glycine, serine, threonine or alanine

```
<220>
```

<221> SITE

<222> (39)..(44)

<223> X is any amino acid

<220>

<221> SITE

<222> (46)..(80)

<223> X is any amino acid

<400> 25

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Pro Xaa Cys Val Xaa Xaa Xaa 20 25 30

Arg Cys Xaa Gly Cys Cys Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa 35

Cys

<210> 26

<211> 82

<212> PRT

<213> VEGF homology domain

<220>

<221> SITE

<222> (2)..(25)

<223> X is any amino acid

<220>

```
<221> SITE
<222> (27)..(27)
<223> X is proline, serine or arginine
<220>
<221> SITE
<222> (30)..(32)
<223> X is any amino acid
<220>
<221> SITE
<222> (35)..(35)
<223> X is glycine, serine, threonine or alanine
<220>
<221> SITE
<222> (39)..(44)
<223> X is any amino acid
<220>
<221> SITE
<222> (46)..(81)
<223> X is any amino acid
<400> 26
Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Pro Xaa Cys Val Xaa Xaa
Arg Cys Xaa Gly Cys Cys Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa
```

## 

Xaa Cys

- <210> 27
- <211> 83
- <212> PRT
- <213> VEGF homology domain
- <220>
- <221> SITE
- <222> (2)..(25)
- <223> X is any amino acid
- <220>
- <221> SITE
- <222> (27)..(27)
- <223> X is proline, serine or arginine
- <220>
- <221> SITE
- <222> (30)..(32)
- <223> X is any amino acid
- <220>
- <221> SITE
- <222> (35)..(35)
- <223> X is glycine, serine, threonine or alanine
- <220>
- <221> SITE
- <222> (39)..(44)
- <223> X is any amino acid

```
<220>
```

<221> SITE

<222> (46)..(82)

<223> X is any amino acid

<400> 27

Arg Cys Xaa Gly Cys Cys Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa 35 40 45

Xaa Xaa Cys

<210> 28

<211> 84

<23.2> PRT

<213> VEGF homology domain

<220>

<221> SITE

<222> (2)..(25)

<223> X is any amino acid

<220>

<221> SITE

<222> (27)..(27)

<223> X is proline, serine or arginine

<220>

<211> 85

<212> PRT

```
<221> SITE
<222> (30)..(32)
<223> X is any amino acid
<220>
<221> SITE
<222> (35)..(35)
<223> X is glycine, serine, threonine or alanine
<220>
<221> SITE
<222> (39)..(44)
<223> X is any amino acid
<220>
<221> SITE
<222> (46)..(83)
<223> X is any amino acid
<400> 28
Xaa Xaa Xaa Xaa Xaa Xaa Xaa Aaa Pro Xaa Cys Val Xaa Xaa
Arg Cys Xaa Gly Cys Cys Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa
Xaa Xaa Cys
<210> 29
```

```
<213> VEGF homology domain
<220>
<221> SITE
<222> (2)..(25)
<223> X is any amino acid
<220>
<221> SITE
<222> (27)..(27)
<223> X is proline, serine or arginine
<220>
<221> SITE
<222> (30)..(32)
<223> X is any amino acid
<220>
<221> SITE
<222> (35)..(35)
<223> X is glycine, serine, threonine or alanine
<220>
<221> SITE
<222> (39)..(44)
<223> X is any amino acid
<220>
<221> SITE
<222> (46)..(84)
<223> X is any amino acid
```

1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Pro Xaa Cys Val Xaa Xaa Xaa 20 25 30

Arg Cys Xaa Gly Cys Cys Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa 35 40 45

Xaa Xaa Xaa Cys

<210> 30

<400> 29

<211> 86

<212> PRT

<213> VEGF homology domain

<220>

<221> SITE

<222> (2)..(25)

<223> X is any amino acid

<220>

<221> SITE

<222> (27)..(27)

<223> X is proline, serine or arginine

<220>

<221> SITE

<222> (30)..(32)

<223> X is any amino acid

<220>

<221> SITE

```
<222> (35)..(35)
```

<223> X is glycine, serine, threonine or alanine

<220>

<221> SITE

<222> (39)..(44)

<223> X is any amino acid

<220>

<221> SITE

<222> (46)..(85)

<223> X is any amino acid

<400> 30

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Pro Xaa Cys Val Xaa Xaa Xaa 20 25 30

Arg Cys Xaa Gly Cys Cys Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa 35 40 45

Xaa Xaa Xaa Xaa Cys

<210> 31

<211> 87

<212> PRT

<213> VEGF homology domain

<220>

<221> SITE

<222> (2)..(25)

<223> X is any amino acid

<220>

```
<221> SITE
<222> (27)..(27)
<223> X is proline, serine or arginine
<220>
<221> SITE
<222> (30)..(32)
<223> X is any amino acid
<220>
<221>
     SITE
<222>
     (35)..(35)
<223> X is glycine, serine, threonine or alanine
<220>
<221> SITE
<222> (39)..(44)
<223> X is any amino acid
<220>
<221> SITE
<222> (46)..(86)
<223> X is any amino acid
<400> 31
Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Pro Xaa Cys Val Xaa Xaa
Arg Cys Xaa Gly Cys Cys Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa
                        40
```

```
Xaa Xaa Xaa Xaa Xaa Cys
<210> 32
<211> 8
<212> PRT
<213> isolated polypeptide
<220>
<221> SITE
<222> (1)..(1)
<223> X is glycine or a conservative substitution
<220>
<221> SITE
<222> (2)..(2)
<223> X is tyrosine or a conservative substitution
<220>
<221> SITE
<222> (3)..(3)
<223> X is tryptophan or a conservative substitution
<220>
<221> SITE
<222> (4)..(4)
<223> X is leucine or a conservative substitution
<220>
<221> SITE
```

```
<222> (5)..(5)
<223> X is threonine or a conservative substitution
<220>
<221> SITE
<222> (6)..(6)
<223> X is isoleucine or a conservative substitution
<220>
<221> SITE
<222> (7)..(7)
<223> X is tryptophan or a conservative substitution
<220>
<221> SITE
<222> (8)..(8)
<223> X is glycine or a conservative substitution
<400> 32
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
<210> 33
<211> 10
<212> PRT
<213> isolated peptide
<220>
<221> SITE
<222> (2)..(2)
<223> X is glycine or a conservative substitution
<220>
```

```
<221> SITE
<222> (3)..(3)
<223> X is tyrosine or a conservative substitution
<220>
<221> SITE
<222> (4)..(4)
<223> X is tryptophan or a conservative substitution
<220>
<221> SITE
<222> (5)..(5)
<223> X is leucine or a conservative substitution
<220>
<221.> SITE
<222> (6)..(6)
<223> X is threonine or a conservative substitution
<220>
<221> SITE
<222> (7)..(7)
<223> X is isoleucine or a conservative substitution
<220>
<221> SITE
<222> (8)..(8)
<223> X is tryptophan or a conservative substitution
<220>
<221> SITE
<222> (9)..(9)
```

<210> 36</br>
<211> 9

```
<400> 33
Cys Xaa Xaa Xaa Xaa Xaa Xaa Xaa Cys
      5
<210> 34
<211> 10
<212> PRT
<213> isolated peptide
<220>
<221> SITE
<222> (1)..(1)
<223> X is any amino acid
<220>
<221> SITE
<222> (10)..(10)
<223> X is any amino acid
<400> 34
Xaa Gly Tyr Trp Leu Thr Ile Trp Gly Xaa
<210> 35
<211> 10
<212> PRT
<213> isolated peptide
<400> 35
Cys Gly Tyr Trp Leu Thr Ile Trp Gly Cys
```

<223> X is glycine or a conservative substitution

```
<212> PRT
<213> peptide
<400> 36
Ser Gly Tyr Trp Trp Asp Thr Trp Phe
<210> 37
<211> 9
<212> PRT
<213> peptide
<400> 37
Ser Cys Tyr Trp Arg Asp Thr Trp Phe
<210> 38
<211> 9
<212> PRT
<213> peptide
<400> 38
Lys Val Gly Trp Ser Ser Pro Asp Trp
<210> 39
<211> 9
<212> PRT
<213> peptide
<400> 39
Phe Val Gly Trp Thr Lys Val Leu Gly
<210> 40
<211> 9
<212> PRT
<213> peptide
```

<400> 44

```
<400> 40
Tyr Ser Ser Met Arg Trp Arg His
<210> 41
<211> 9
<212> PRT
<213> peptide
<400> 41
Arg Trp Arg Gly Asn Ala Tyr Pro Gly
<210> 42
<211> 9
<212> PRT
<213> peptide
<400> 42
Ser Ala Val Phe Arg Gly Arg Trp Leu
<210> 43
<211> 9
<212> PRT
<213> peptide
<400> 43
Trp Phe Ser Ala Ser Leu Arg Phe Arg
<210> 44
<211> 8
<212> PRT
<213> peptide
```

```
The way at the Cart About High straight
æ
ļ. i.
UT
```

```
Trp Gln Leu Gly Arg Asn Trp Ile
      <210> 45
      <211> 8
      <212> PRT
      <213> peptide
      <400> 45
      Val Glu Val Gln Ile Thr Gln Glu
      <210> 46
μ±
      <211> 8
      <212> PRT
      <213> peptide
      <400> 46
      Ala Gly Lys Ala Ser Ser Leu Trp
      <210> 47
      <211> 8
      <212> PRT
      <213> peptide
      <400> 47
      Arg Ala Leu Asp Ser Ala Leu Ala
      <210> 48
      <211> 7
      <212> PRT
      <213> peptide
      <400> 48
      Tyr Gly Phe Glu Ala Ala Trp
```

```
<210> 49
<211> 7
<212> PRT
<213> peptide
<400> 49
Tyr Gly Phe Leu Trp Gly Met
<210> 50
<211> 7
<212> PRT
<213> peptide
<400> 50
Ser Arg Trp Arg Ile Leu Gly
<210> 51 .
<211> 7
<212> PRT
<213> peptide
<400> 51
His Lys Trp Gln Lys Arg Gln
           5
<210> 52
<211> 7
<212> PRT
<213> peptide
<400> 52
Met Asp Pro Trp Gly Gly Trp
<210> 53
<211> 7
```

```
<212> PRT
<213> peptide
<400> 53
Arg Lys Val Trp Asp Ile Arg
<210> 54
<211> 6
<212> PRT
<213> peptide
<400> 54
Val Trp Asp His Gly Val
<210> 55
<211> 10
<212> PRT
<213> peptide
<400> 55
Cys Trp Gln Leu Gly Arg Asn Trp Ile Cys
<210> 56
<211> 10
<212> PRT
<213> peptide
<400> 56
Cys Val Glu Val Gln Ile Thr Gln Glu Cys
<210> 57
<211> 10
<212> PRT
<213> peptide
```

<400> 61

```
<400> 57
Cys Ala Gly Lys Ala Ser Ser Leu Trp Cys
<210> 58
<211> 10
<212> PRT
<213> peptide
<400> 58
Cys Arg Ala Leu Asp Ser Ala Leu Ala Cys
<210> 59
<211> 9
<212> PRT
<213> peptide
<400> 59
Cys Tyr Gly Phe Glu Ala Ala Trp Cys
<210> 60
<211> 9
<212> PRT
<213> peptide
<400> 60
Cys Tyr Gly Phe Leu Trp Gly Met Cys
<210> 61
<211> 9
<212> PRT
<213> peptide
```

```
Cys Ser Arg Trp Arg Ile Leu Gly Cys
<210> 62
<211> 9
<212> PRT
<213> peptide
<400> 62
Cys His Lys Trp Gln Lys Arg Gln Cys
<210> 63
<211> 9
<212> PRT
<213> peptide
<400> 63
Cys Met Asp Pro Trp Gly Gly Trp Cys 1 	 5
<210> 64
<211> 9
<212> PRT
<213> peptide
<400> 64
Cys Arg Lys Val Trp Asp Ile Arg Cys
<210> 65
<211> 8
<212> PRT
<213> peptide
<400> 65
Cys Val Trp Asp His Gly Val Cys
```

```
<210> 66
<211> 13
<212> PRT
<213> peptide
<400> 66
Cys Gly Gln Met Cys Thr Val Trp Cys Ser Ser Gly Cys
<210> 67
<211> 7
<212> PRT
<213> peptide
<220>
<221> SITE
<222> (4)..(6)
<223> X at position 4-6 is any amino acid
<400> 67
Gly Tyr Trp Xaa Xaa Xaa Trp
<210> 68
<211> 8
<212> PRT
<213> peptide
<220>
<221> SITE
<222> (4)..(6)
<223> X is any amino acid
<220>
<221> SITE
```

```
The second section of the second seco
ļ.
ίĩ
14
```

```
<222> (8)..(8)
<223> X is any amino acid
<400> 68
Gly Tyr Trp Xaa Xaa Xaa Trp Xaa
<210> 69
<211> 13
<212> PRT
<213> peptide
<400> 69
Cys Gly Gln Met Cys Thr Val Trp Cys Ser Ser Gly Ser
<210> 70
<211> 9
<212> PRT
<213> peptide
<220>
<221> SITE
<222> (1)..(9)
<223> X is any amino acid
<400> 70
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
               5
<210> 71
<211> 13
<212> PRT
<213> peptide
<220>
```

56

```
and offers after the terms of the means of the second of the other conditions of the second of the s
```

```
<221> SITE
<222> (2)..(4)
<223> X is any amino acid
<220>
<221> SITE
<222> (6)..(8)
<223> X is any amino acid
<220>
<221> SITE
<222> (10)..(12)
<223> X is any amino acid
<400> 71
Cys Xaa Xaa Xaa Cys Xaa Xaa Cys Xaa Xaa Cys
<210> 72
<211>
       9
<212> PRT
<213> peptide
<220>
<221> SITE
<222> (2)..(8)
<223> X is any amino acid
<400> 72
Cys Xaa Xaa Xaa Xaa Xaa Xaa Cys
<210> 73
<211> 10
<212> PRT
```

<400>

```
<213> peptide library
<220>
<221> SITE
<222> (5)..(7)
<223> X is any amino acid
<220>
<221> SITE
<222> (9)..(9)
<223> X is any amino acid
<400> 73
Cys Gly Tyr Trp Xaa Xaa Xaa Trp Xaa Cys
<210> 74
<211> 39
<212> DNA
<213> primer
<220>
<221> misc_feature
      (19)..(20)
<222>
<223> N= equimolar mixture of A, G, C and T
<220>
<221> misc_feature
<222> (21)..(21)
<223> N= equimolar mixture of G and T
```

cacteggeeg aeggggetnn nggggeeget ggggeegaa

39

way for the first of the first form of the first	<210>	75	
	<211>	18	
	<212>	DNA	
	<213>	synthetic primer	
	<400> ttcggc	75 ccca geggeece	18
	<210>	76	
	<211>	33	
	<212>	DNA	
	<213>	synthetic primer	
# d   =   =			
# ff., ft.;	<400> cctggg	76 atcc ctggtgagtg gctactccat gac	33
# # # # # # # #	<210>	77	
	<211>	32	
	<212>	DNA	
	<213>	synthetic primer	
ħ.j			
	<400> gatgaa	77 agaga tetteatgea caatgaeete gg	32
	<210>	78	
	<211>	29	
		DNA	
		synthetic primer	
	<400> aggcte	78 cgagg atceteggee gaegggget	29
	<210>	79	
	<211>	27	
	<212>	DNA	
	<213>	synthetic primer	

<400> 79
aggtctagaa ttcgccccag cggcccc

<210> 80

<211> 19

<212> PRT

<213> peptide

<220>

<221> SITE

<222> (2)..(8)

<223> X is any amino acid

<220>

<221> SITE

<222> (11)..(18)

<223> X is any amino acid

<400> 80

Cys Xaa Xaa Xaa Xaa Xaa Xaa Xaa Cys Cys Xaa Xaa Xaa Xaa Xaa Xaa Xaa 10 15

Xaa Xaa Cys